

Tests of Cognitive Abilities

Standard and Extended Batteries

Woodcock
Johnson IV

Test Record

Identifying Information

Last Name Mendoza First Name Julian
Sex: ☒ M ☐ F ID 845 109077

Date of Birth: 05 / 08 / 2012
MM DD YYYY

School/Organization Uplift White Rock Hills

Teacher/Department Nia West - ELAR

Additional Information

Does the examinee have glasses?

☐ Yes ☒ No

Were they used during testing?

☐ Yes ☐ No

Does the examinee have a hearing aid?

☐ Yes ☒ No

Was it used during testing?

☐ Yes ☐ No

Other Information

Adult } Education (Years Completed)
Examinees } Occupation

Date of Testing: 1 / 4 / 2024
MM DD YYYY

Grade 1 (Years Retained 1 Years Skipped 6 Years of Schooling 6)

Examiner's Name Annette Wingo

Normative Basis (Check one) ☐ Age ☒ Grade (K.0-12.9) ☐ 2-Year College (13.0-14.9) ☐ 4-Year College/University (13.0-18.0)

Adjusted School-Year Dates (Optional)

School-year start date / /

School-year end date / /

Test Session Observations Checklist

Check only one category for each item.

Level of conversational proficiency

- ☐ 1. Very advanced
☐ 2. Advanced
☒ 3. Typical for age/grade
☐ 4. Limited
☐ 5. Very limited

Level of cooperation

- ☒ 1. Exceptionally cooperative throughout the examination
☐ 2. Cooperative (typical for age/grade)
☐ 3. Uncooperative at times
☐ 4. Uncooperative throughout the examination

Level of activity

- ☐ 1. Seemed lethargic
☒ 2. Typical for age/grade
☐ 3. Appeared fidgety or restless at times
☐ 4. Overly active for age/grade; resulted in difficulty attending to tasks

Attention and concentration

- ☐ 1. Unusually absorbed by the tasks
☒ 2. Attentive to the tasks (typical for age/grade)
☐ 3. Distracted often
☐ 4. Consistently inattentive and distracted

Self-confidence

- ☐ 1. Appeared confident and self-assured
☒ 2. Appeared at ease and comfortable (typical for age/grade)
☐ 3. Appeared tense or worried at times
☐ 4. Appeared overly anxious

Care in responding

- ☐ 1. Very slow and hesitant in responding
☐ 2. Slow and careful in responding
☒ 3. Prompt but careful in responding (typical for age/grade)
☐ 4. At times responded too quickly
☐ 5. Impulsive and careless in responding

Response to difficult tasks

- ☐ 1. Noticeably increased level of effort for difficult tasks
☒ 2. Generally persisted with difficult tasks (typical for age/grade)
☐ 3. Attempted but gave up easily
☐ 4. Would not try difficult tasks at all

Do you have any reason to believe this testing session may not represent a fair sample of the examinee's abilities? ☒ No

☐ Yes. These results may not be a fair estimate because ...

Were any modifications made to the standardized test procedures during this administration? ☒ No

☐ Yes. The following modifications were made: ...

Test 1 Oral Vocabulary

1A: Synonyms

Basal: 6 lowest correct

Ceiling: 6 highest incorrect

Score 1, 0

	First Trial	Last Trial	
A	<u>1</u>		big-large
B	<u>1</u>		nap-sleep

- 1 1 angry-mad
- 2 1 small-tiny
- 3 1 mom-mommy
- 4 1 giggle-laugh
- 5 1 look-glance
- 6 1 chef-cook
- 7 1 beautiful-gorgeous
- 8 1 lawn-yard
- 9 1 car-vehicle
- 10 0 street-road hood
- 11 1 attempt-try
- 12 0 artificial-insincere official
- 13 0 devour-consume break
- 14 0 untamed-unruly
- 15 0 conceal-cover put
- 16 0 portion-piece
- 17 0 luminous-shiny
- 18 0 still-quiet
- 19 0 convince-prove
- 20 0 yield-surrender
- 21 _____ few-scant
- 22 _____ astute-smart
- 23 _____ ambiguous-unclear
- 24 _____ eminent-renowned
- 25 _____ chide-chastise
- 26 _____ austere-bleak
- 27 _____ resplendent-bright
- 28 _____ refute-deny
- 29 _____ beleague-bother
- 30 _____ munificent-generous
- 31 _____ effulgence-brightness

1A 10 Number Correct (0-31)

1B: Antonyms

Basal: 6 lowest correct

Ceiling: 6 highest incorrect

Score 1, 0

	First Trial	Last Trial	
A	<u>1</u>		yes-no
B	<u>1</u>		up-down

- 1 _____ boy-girl
- 2 _____ hot-cold
- 3 _____ brother-sister
- 4 _____ good-bad
- 5 1 large-small
- 6 1 old-young
- 7 1 forward-backward
- 8 1 sit-stand
- 9 1 add-minus
- 10 1 smooth-rough
- 11 1 question-answer
- 12 0 friend-foe
- 13 0 sharp-blunt
- 14 0 cry-laugh
- 15 0 narrow-wide arrow
- 16 0 plural-single parallel
- 17 0 feminine-masculine
- 18 0 shy-bold
- 19 0 lazy-active
- 20 0 general-specific
- 21 _____ accumulate-lose
- 22 _____ rigid-flexible
- 23 _____ latter-first
- 24 _____ pacify-agitate
- 25 _____ absurd-logical
- 26 _____ demure-outgoing
- 27 _____ tenacious-weak
- 28 _____ gauche-elegant
- 29 _____ obdurate-yielding
- 30 _____ sanguine-pessimistic
- 31 _____ droll-serious
- 32 _____ palliate-exacerbate

1B 11 Number Correct (0-32)

To use the hand-scoring table, compute Total Number Correct below.

$$\frac{10}{1A} + \frac{11}{1B} = \frac{21}{\text{Total}} \quad (0-63)$$

Test 1 Oral Vocabulary

Scoring Table

Encircle row for the Total Number Correct.

Total Number Correct	AE (Est)*	GE (Est)*
0	<2-11	<K.0
1	2-11	<K.0
2	3-7	<K.0
3	4-0	<K.0
4	4-5	<K.0
5	4-9	<K.0
6	5-0	<K.0
7	5-3	<K.0
8	5-5	K.0
9	5-7	K.2
10	5-10	K.4
11	6-0	K.6
12	6-2	K.8
13	6-4	K.9
14	6-7	1.2
15	6-9	1.4
16	6-11	1.5
17	7-3	1.8
18	7-5	2.0
19	7-9	2.3
20	8-0	2.6
21	8-4	2.9
22	8-8	3.2
23	9-0	3.6
24	9-5	4.0
25	9-10	4.4
26	10-4	4.9
27	10-9	5.3
28	11-4	5.9
29	11-9	6.4
30	12-3	6.8
31	12-11	7.5
32	13-6	8.1
33	14-4	8.9
34	15-2	9.7
35	16-5	11.0
36	17-7	12.2
37	19	>12.9
38	22	>12.9
39	30	>12.9
>39	>30	>12.9

*AE and GE are estimates of the precise values provided by the scoring program.

Test 2 Number Series



Basal: 5 lowest correct
Ceiling: 5 highest incorrect

Score 1, 0

	First Trial	Last Trial
A	1	5

- 1 ____ 2
- 2 ____ 3
- 3 ____ 9
- 4 ____ 4
- 5 ____ 18
- 6 ____ 13
- 7 ____ 19
- 8 ____ 13
- 9 ____ 36
- 10 ____ 21

	First Trial	Last Trial
B	0	1

- 11 ____ 6
- 12 ____ 20
- 13 ____ 4
- 14 ____ 8
- 15 ____ 60
- 16 ____ 2
- 17 ____ 15
- 18 ____ 14
- 19 ____ 13 1
- 20 ____ 16
- 21 ____ 36
- 22 ____ 1 2
- 23 ____ 1
- 24 ____ 45
- 25 ____ 1 4
- 26 ____ 5 3
- 27 ____ 3 5
- 28 ____ 14 5
- 29 ____ 88 or 77 1
- 30 ____ 27, 35, 25, or 26 2 4
- 31 ____ 4
- 32 ____ 12
- 33 ____ 3, 5, or 9
- 34 ____ 16 and 18
- 35 ____ 81
- 36 ____ 20
- 37 ____ 42 or 45
- 38 ____ 30 or 26
- 39 ____ 8 or 11
- 40 ____ 2
- 41 ____ 72 and 76 or 78 and 82
- 42 ____ 14, 32, or 41

21

Number
Correct (0-42)

Test 2 Number Series

Scoring Table

Encircle row for the Number Correct.

Number Correct	AE (Est)*	GE (Est)*
0	<2-2	<K.0
1	2-2	<K.0
2	4-1	<K.0
3	4-11	<K.0
4	5-3	<K.0
5	5-6	K.1
6	5-8	K.2
7	5-10	K.4
8	5-11	K.5
9	6-1	K.6
10	6-2	K.8
11	6-4	K.9
12	6-5	1.0
13	6-7	1.2
14	6-9	1.4
15	7-0	1.6
16	7-4	1.9
17	7-7	2.2
18	7-11	2.5
19	8-3	2.9
20	8-8	3.2
21	9-1	3.6
22	9-6	4.1
23	9-11	4.5
24	10-4	4.9
25	10-10	5.4
26	11-5	6.0
27	12-1	6.7
28	13-0	7.5
29	14-2	8.7
30	16-3	10.8
>30	>20	>12.9

*AE and GE are estimates of the precise values provided by the scoring program.

Test 3 Verbal Attention

Basal: 6 lowest correct
Ceiling: 6 highest incorrect

Score 1, 0

	First Trial	Last Trial
A	—	dog
B	—	4

- 1 — cow
- 2 — 5
- 3 — duck
- 4 — whale
- 5 — 1
- 6 — 9
- 7 — bear and frog or frog and bear
- 8 — 10 then 5

Cutoff = 2 or fewer correct

	First Trial	Last Trial
C	✓	cat then 9

- 9 — 1 2
- 10 — 1 6
- 11 — 1 7 and 5 or 5 and 7
- 12 — 1 6 then pony
- 13 — 1 tiger then 2
- 14 — 1 frog then 2
- 15 — 1 4
- 16 — 1 1
- 17 — 0 5 and 10 or 10 and 5 7, 10
- 18 — 1 8
- 19 — 0 cow then monkey cow, giraffe
- 20 — 0 6 3
- 21 — 0 5 and 4 or 4 and 5 9, 4
- 22 — 1 chicken and kitten or kitten and chicken
- 23 — 0 2 and 9 or 9 and 2 7, 9
- 24 — 1 mouse
- 25 — 0 8 2
- 26 — 0 bear rooster
- 27 — 0 4 and 9 or 9 and 4 1, 9
- 28 — 0 7 and 5 or 5 and 7 9, 7
- 29 — 0 2 7
- 30 — 1 cat then mouse
- 31 — 0 lizard and zebra or zebra and lizard lizard, shark
- 32 — 0 6 then 3 2, 4
- 33 — 1 lizard then 4
- 34 — 0 sheep then fox then rooster then moose
- 35 — 0 5 - 7 - 2 - 4 - 1 7, 2, 4, 1
- 36 — 0 6 then shark then buffalo then gorilla then frog

21 Number Correct (0-36)

Test 3 Verbal Attention Scoring Table

Encircle row for the Number Correct.

Number Correct	AE (Est)*	GE (Est)*
0	<3-6	<K.0
1	3-6	<K.0
2	4-4	<K.0
3	4-8	<K.0
4	5-0	<K.0
5	5-3	<K.0
6	5-6	K.1
7	5-9	K.3
8	6-0	K.6
9	6-3	K.9
10	6-7	1.1
11	6-10	1.4
12	7-2	1.8
13	7-7	2.1
14	8-0	2.6
15	8-7	3.2
16	9-3	3.8
17	10-0	4.6
18	10-10	5.4
19	11-9	6.4
20	13-0	7.6
21	14-7	9.1
22	16-10	11.4
>22	>30	>12.9

*AE and GE are estimates of the precise values provided by the scoring program.

Test 4 Letter-Pattern Matching

Basal: Item 1

Time Limit: 3 minutes



If not using a stopwatch,
record the start and end
times in the box below.

Score 1 point for each correct pair.

Time: 3 min. 00 sec.

43

Number
Correct (0-84)

End Time: min. sec.

- Start Time: min. sec.

= Time: min. sec.

Test 4 Letter-Pattern Matching Scoring Table

Encircle row for the Number Correct.

Number Correct	AE (Est)*	GE (Est)*
0-4	<2-0	<K.0
5	2-1	<K.0
6	2-8	<K.0
7	3-1	<K.0
8	3-7	<K.0
9	3-11	<K.0
10	4-4	<K.0
11	4-7	<K.0
12	4-10	<K.0
13	4-11	<K.0
14	5-0	<K.0
15	5-1	<K.0
16	5-2	<K.0
17	5-3	<K.0
18	5-4	<K.0
19	5-6	K.0
20	5-7	K.2
21	5-8	K.3
22	5-10	K.4
23	5-11	K.5
24	6-1	K.7
25	6-3	K.8
26	6-4	K.9
27	6-7	1.1
28	6-9	1.4
29	7-0	1.6
30	7-3	1.8
31	7-4	1.9
32	7-6	2.1
33	7-8	2.2
34	7-9	2.4
35	7-11	2.5
36	8-1	2.7
37	8-3	2.9
38	8-5	3.0
39	8-8	3.2
40	8-10	3.4
41	9-1	3.6
42	9-3	3.9
43	9-7	4.2
44	10-0	4.5
45	10-4	4.9
46	10-9	5.3
47	11-2	5.7
48	11-7	6.1
49	12-0	6.6
50	12-5	7.0
51	12-11	7.5
52	13-6	8.0
53	14-1	8.7
54	14-11	9.5
55	15-6	10.1
56	16-3	10.8
57	17-3	11.8
58	18-6	>12.9
>58	>26	>12.9

*AE and GE are estimates of the
precise values provided by the
scoring program when time is
exactly 3 minutes.

Test 5 Phonological Processing

5A: Word Access

Basal: 6 lowest correct
Ceiling: 6 highest incorrect

Score 1, 0

	First Trial	Last Trial
A	☒	☐
B	☐	☐

boy
duck

1 pie

2 cake

3 banana

Cutoff = 0 correct

	First Trial	Last Trial
C	☐	☐

start /b/

4 start /k/

5 start /t/

6 start /y/

7 start /z/

8 start /sh/

9 start /l/

10 start /n/

11 end /r/

12 end /ch/

13 end /ou/

14 middle /m/

15 middle /g/

16 middle /z/

17 middle /j/

18 middle /str/

19 middle /zh/

20 end /wô/

21 middle /kâ/

5A 13 Number Correct (0-21)

5B: Word Fluency

Tally correct responses (i.e., ||||).

1 ||||

5B1 11 Number Correct

2 ||||

5B2 9 Number Correct

5C: Substitution

Basal: 6 lowest correct
Ceiling: 6 highest incorrect

Score 1, 0

	First Trial	Last Trial
A	☐	☐
B	☐	☐

sunny
smaller

1 swimming

2 funny

	First Trial	Last Trial
C	☐	☐
D	☐	☐

to
sip

3 can

4 bag

5 no them

6 cat at

7 granite grow

8 stall no response

9 sit tip

10 tip

11 caught

12 fist

13 rat

14 nut

15 lawn

5C 3 Number Correct (0-15)

*Detail description
It appeared
because he did
not know the
answer.*

To use the hand-scoring table, compute Total Number Correct below.

$$\frac{13}{5A} + \frac{11}{5B1} + \frac{9}{5B2} + \frac{3}{5C} = \frac{36}{\text{Total}} \quad (0-234)$$

Test 5 Phonological Processing Scoring Table

Encircle row for the Total Number Correct.

Total Number Correct	AE (Est)*	GE (Est)*
0	<2-5	<K.0
1	2-5	<K.0
2	3-2	<K.0
3	3-8	<K.0
4	3-11	<K.0
5	4-2	<K.0
6	4-4	<K.0
7	4-8	<K.0
8	4-10	<K.0
9	4-11	<K.0
10	5-0	<K.0
11	5-2	<K.0
12	5-3	<K.0
13	5-4	<K.0
14	5-5	K.0
15	5-6	K.1
16	5-7	K.2
17	5-8	K.3
18	5-9	K.4
19	5-10	K.4
20	5-11	K.5
21	6-0	K.6
22	6-1	K.7
23	6-3	K.8
24	6-4	K.9
25	6-5	1.0
26	6-7	1.1
27	6-8	1.2
28	6-9	1.3
29	6-10	1.4
30	7-0	1.6
31	7-2	1.8
32	7-3	1.9
33	7-5	2.0
34	7-7	2.1
35	7-10	2.4
36	7-11	2.5
37	8-2	2.8
38	8-4	2.9
39	8-9	3.3
40	8-11	3.5
41	9-3	3.8
42	9-5	4.0
43	10-0	4.5
44	10-3	4.8
45	10-10	5.4
46	11-1	5.7
47	11-5	6.0
48	12-3	6.8
49	13-7	8.2
50	14-0	8.6
51	14-6	9.1
52	16-1	10.7
53	16-10	11.4
54	17-9	12.4
>54	>30	>12.9

*AE and GE are estimates of the precise values provided by the scoring program.

Test 6 Story Recall

*Note: Basal and ceiling rules do not apply to this test.
Scoring is based on the administration of specific groups of stories.*

Score 1 point for each correct element.

- 1 / The **cat** / tried to **catch** / the little **bird**, /
/ but the bird **flew away**. /

Number of
Points (0-4)

- 2 / The **teacher** / **read** / the **children** / a **funny** / **story**. /
/ Then they wanted to hear it **again**. /

Number of
Points (0-6)

Stories 1-2 6A: Number of
Points (0-10)

4 or fewer points: Discontinue testing

5 or more points: Administer Stories 3 and 4 unless already administered

- 3 / **Amy** / and her **dad** / were out **fishing** / in a **boat**. /
/ Her dad said, "Don't **talk** / or the **fish** / will **swim away**." /

Number of
Points (0-7)

- 4 / **Rick** / got some **glow-in-the-dark** / **stars** /
/ for his **sixth** / **birthday**. /
/ He wanted to put them on his **bedroom** / **ceiling**. /

Number of
Points (0-7)

Stories 3-4 6B: Number of
Points (0-14)

6 or fewer points: Administer Stories 1 and 2 unless already administered

7 or more points: Administer Stories 5 and 6 unless already administered

- 5 / Some **children** / were **blowing bubbles** /
/ in the **park**. / These were not ordinary **soap** bubbles; /
/ they were **candy** bubbles! / The children and a **dog** /
/ were trying to **catch** the bubbles / in their **mouths**. /

Number of
Points (0-8)

- 6 / **Doug** / put on a diving **mask** /
/ and went down into the **water**. /
/ He saw many colorful **fish** / of different **sizes** /
/ and **shapes**. / He saw a **turtle** swimming. /
/ He felt like he was wearing **magical glasses**. /

Number of
Points (0-8)

Stories 5-6 6C: Number of
Points (0-16)

8 or fewer points: Administer Stories 3 and 4 unless already administered

9 or more points: Administer Stories 7 and 8 unless already administered

- 7 / **Mr. Chee** / was driving along **Highway** / **41** /
/ when he saw a car pass by with a **monkey** driving. /
/ He called the **police** / and asked them to watch for a **blue** /
/ **station wagon**. / **Two hours** later, /
/ the **officers** spotted the car. /
/ The monkey was holding the **steering** wheel, /
/ and his owner was operating the **accelerator** / and **brakes**. /
/ The man was charged with **reckless driving**, /
/ but **no charges** were made against the monkey. /

Number of
Points (0-14)

- 8 / In his **first** / **lecture** / at a small **university**, / a **professor** /
/ was describing the **laws of probability**. /
/ To **demonstrate** these laws, / he took a **coin** /
/ from his **pocket** / and tossed it onto the **shiny floor**. /
/ When the coin **landed**, / it **spun** around / **three** times /
/ and then came to rest vertically on its **edge**. /
/ The class **applauded**. /
/ Even though he was not a **mathematician**, /
/ the professor estimated that the **chance** of the coin landing
in this position was /
/ approximately **one in six thousand**. /

Number of
Points (0-17)

Stories 7-8 6D: Number of
Points (0-31)

18 or fewer points: Administer Stories 5 and 6 unless already administered

19 or more points: Administer Stories 9 and 10

Test 6 Story Recall

- 9 / This **summer** / a **museum** / in **London** /
 / is featuring a **flea circus**. /
 / All of the performers are slightly larger than a **pinhead**. /
 / The **trainer** says / that while some fleas are **hard to teach**, /
 / others have easily learned **many tricks**. /
 / They can perform stunts like walking on a **tightrope**, /
 / swinging from a **trapeze**, / and jumping off a **high dive** /
 / into a water-filled **thimble**. /
 / They can even do **sword fighting**. / For the **grand finale**, /
 / **Hercules**, /
 / who is known as the **strongest** flea in the world, /
 / pulls a **toy train** / that is **four** times his size. /

Number of Points (0-18)

- 10 / The **hurricane** / bore down on the **northern** / **coast** /
 / on **Friday**. / Winds up to **120** / **miles per hour** /
 / knocked fishing **piers** into the ocean /
 / and destroyed between **40** and **50** / **homes**. /
 / By **two** o'clock, / the **waves** / were up to **13 feet** high, /
 / causing officials to **ban swimming** / at many **beaches**. /
 / The **streets** were covered with so much water /
 / that people could see **fish jumping**. /
 / For people living by the **shore**, /
 / the best advice was to **go inland** until the storm had
 passed. /

Number of Points (0-18)

Stories 9-10 6E: Number of Points (0-36)

Score Entry

Enter Number of Points for each group of stories. Enter X if not administered.

6A: Stories 1-2

☒ (0-10 or X)

6B: Stories 3-4

☒ (0-14 or X)

6C: Stories 5-6

☒ 12 (0-16 or X)

6D: Stories 7-8

☒ 10 (0-31 or X)

6E: Stories 9-10

☒ (0-36 or X)

For hand scoring only: Use the column below corresponding to the stories administered.
 If more than four stories were administered, use the column corresponding to the last four stories administered following continuation instructions. Enter number of points below.

$$\overline{6A} + \overline{6B} = \text{Stories 1-4} \quad \overline{6B} + \overline{6C} = \text{Stories 3-6} \quad \overline{6C} + \overline{6D} = \text{Stories 5-8} \quad \overline{6D} + \overline{6E} = \text{Stories 7-10}$$

Handwritten example: 12 + 10 = 22

Test 6 Story Recall Scoring Table

Encircle row for the Number of Points.

Number of Points						AE (Est)*	GE (Est)*
Stories 1-2	Stories 1-4	Stories 3-6	Stories 5-8	Stories 7-10			
0-1	—	—	—	—	<2-0	<K.0	
2	—	—	—	—	2-1	<K.0	
3	4	—	—	—	2-10	<K.0	
—	5	—	—	—	3-2	<K.0	
4	6	—	—	—	3-4	<K.0	
—	7	—	—	—	3-9	<K.0	
—	8	—	—	—	4-0	<K.0	
—	9	—	—	—	4-3	<K.0	
—	10	—	—	—	4-5	<K.0	
—	11	—	—	—	4-9	<K.0	
—	12	7	—	—	4-11	<K.0	
—	13	8	—	—	5-1	<K.0	
—	14	9	—	—	5-4	<K.0	
—	—	10	—	—	5-5	K.0	
—	15	11	—	—	5-7	K.2	
—	16	12	8	—	5-10	K.4	
—	—	13	9	—	5-11	K.6	
—	—	14	10	—	6-2	K.7	
—	—	15	11	—	6-4	K.9	
—	—	16	12	—	6-6	1.1	
—	—	17	13	—	6-10	1.4	
—	—	—	14	—	7-0	1.5	
—	—	18	15	—	7-2	1.7	
—	—	19	16	—	7-5	2.0	
—	—	—	17	—	7-8	2.3	
—	20	18	—	—	8-0	2.5	
—	—	19	—	—	8-2	2.7	
—	21	20	—	—	8-5	3.0	
—	22	21	19	—	8-10	3.4	
—	—	—	20	—	9-0	3.6	
—	22	21	9-2	3.8			
—	23	22	9-6	4.1			
—	24	23	9-10	4.4			
—	25	24	10-2	4.7			
—	—	25	10-5	5.0			
—	26	26	10-8	5.2			
—	27	27	11-1	5.6			
—	—	28	11-4	5.9			
—	28	29	11-10	6.4			
—	—	30	12-3	6.8			
—	29	31	12-9	7.4			
—	—	32	13-8	8.3			
—	30	—	14-0	8.6			
—	—	33	14-9	9.3			
—	31	34	16-2	10.7			
—	—	35	17-11	12.2			
—	32	—	19	>12.9			
—	—	36	20	>12.9			
—	>32	>36	>23	>12.9			

*AE and GE are estimates of the precise values provided by the scoring program.

Test 7 Visualization

7A: Spatial Relations

Basal: Item 1

Ceiling: 5 highest incorrect

Score 1, 0

	First Trial	Last Trial
A	<u>I</u>	D, H
B	<u>I</u>	L, R
C	<u>I</u>	X, C
D	<u>O I</u>	H, L

- 1 I P, V
 - 2 I D, L
 - 3 I A, E
 - 4 I U, Y
 - 5 I M, P
 - 6 I X, B
 - 7 I B, H
 - 8 I A, H
 - 9 I M, U
 - 10 I M, U
 - 11 I C, H, M
 - 12 O K, O, S
 - 13 O X, Z ZY
 - 14 I S, U
 - 15 I Y, A, J
 - 16 I U, W
 - 17 O X, A W X
 - 18 O B, K, L A
 - 19 O F, J, N
 - 20 I F, G, L
 - 21 O V, W, Y X A W
 - 22 O X, B, F Y H X
 - 23 I O, S, U
 - 24 O O, P, S N W U
- 7A 17 Number Correct (0-24)

7B: Block Rotation

Basal: Item 1

Ceiling: 5 highest incorrect

Score 1, 0

	First Trial	Last Trial
A	<u>I</u>	U, Y
B	<u>I</u>	G, J

- 1 I X, F
 - 2 I B, H
 - 3 I U, Q
 - 4 I F, I
 - 5 I U, F
- | | First Trial | Last Trial |
|---|-------------|------------|
| C | <u>I</u> | Y, F |
- 6 I B, R
 - 7 I H, O
 - 8 I G, F
 - 9 O Q, R Q O
 - 10 O O, R O P
 - 11 O A, F H F
 - 12 O M, R m o
 - 13 O L, F F A
 - 14 T, X
 - 15 R, P
 - 16 G, O
 - 17 P, R
 - 18 L, U
 - 19 B, H
 - 20 V, L
 - 21 L, O
 - 22 G, O
 - 23 X, Y
 - 24 M, O

7B 8 Number Correct (0-24)

To use the hand-scoring table, compute Total Number Correct below.

$$\frac{17}{7A} + \frac{8}{7B} = \frac{25}{\text{Total}} (0-48)$$

Test 7 Visualization

Scoring Table

Encircle row for the Total Number Correct.

Total Number Correct	AE (Est)*	GE (Est)*
0-1	<2-2	<K.0
2	2-2	<K.0
3	2-5	<K.0
4	2-8	<K.0
5	3-1	<K.0
6	3-3	<K.0
7	3-7	<K.0
8	3-10	<K.0
9	4-1	<K.0
10	4-4	<K.0
11	4-6	<K.0
12	4-9	<K.0
13	5-0	<K.0
14	5-3	<K.0
15	5-6	K.1
16	5-9	K.3
17	6-0	K.6
18	6-3	K.8
19	6-6	1.1
20	6-10	1.4
21	7-2	1.7
22	7-6	2.1
23	7-10	2.4
24	8-3	2.8
25	8-7	3.2
26	9-1	3.7
27	9-6	4.1
28	10-1	4.6
29	10-6	5.1
30	11-1	5.7
31	12-1	6.6
32	13-0	7.6
33	14-6	9.1
34	15-9	10.4
35	17-10	12.4
36	22	>12.9
>36	>28	>12.9

*AE and GE are estimates of the precise values provided by the scoring program.

Test 8 General Information

8A: Where

Basal: 4 lowest correct
Ceiling: 4 highest incorrect

Score 1, 0

- 1 1 on top of a house
- 2 0 shirt *drawer*
- 3 0 street *neighborhood*
- 4 1 on a face
- 5 0 on a sink
- 6 1 hand
- 7 0 on a deer *building*
- 8 0 tree *outside*
- 9 0 court *idk*
- 10 0 sky *inside house*
- 11 1 horse
- 12 1 mouth
- 13 1 orchestra
- 14 1 bones
- 15 1 music
- 16 1 on a face
- 17 1 construction site
- 18 1 towels
- 19 1 on a boat
- 20 1 sailboat
- 21 1 in the ocean
- 22 1 on a weather map

8A 3 Number Correct (0-22)

8B: What

Basal: 4 lowest correct
Ceiling: 4 highest incorrect

Score 1, 0

- 1 1 brush teeth
- 2 1 talk
- 3 1 sweep
- 4 1 eat
- 5 1 put on face
- 6 1 talk or sing into
- 7 1 jump
- 8 1 look at or see stars
- 9 1 protect from rain
- 10 1 decorate
- 11 0 find direction
- 12 1 measure
- 13 0 time someone *see how fast*
- 14 0 fix things *take something out*
- 15 0 look up words *idk*
- 16 0 buy something *idk*
- 17 1 put around words or numbers
- 18 1 measure distance walked
- 19 1 count
- 20 1 measure atmospheric or air pressure
- 21 1 play it
- 22 1 cover wire

8B 5 Number Correct (0-22)

To use the hand-scoring table, compute Total Number Correct below.

$$\frac{3}{8A} + \frac{17}{8B} = \frac{14}{\text{Total}} \quad (0-44)$$

Test 8 General Information Scoring Table

Encircle row for the Total Number Correct.

Total Number Correct	AE (Est)*	GE (Est)*
0	<2-3	<K.0
1	2-3	<K.0
2	2-8	<K.0
3	3-0	<K.0
4	3-3	<K.0
5	3-7	<K.0
6	3-9	<K.0
7	3-11	<K.0
8	4-2	<K.0
9	4-4	<K.0
10	4-7	<K.0
11	4-10	<K.0
12	5-1	<K.0
13	5-5	K.0
14	5-9	K.3
15	6-2	K.7
16	6-6	1.0
17	6-10	1.4
18	7-1	1.7
19	7-6	2.1
20	7-10	2.4
21	8-2	2.8
22	8-7	3.2
23	9-1	3.7
24	9-6	4.1
25	10-2	4.8
26	10-9	5.3
27	11-5	6.0
28	12-4	6.9
29	13-2	7.8
30	14-5	9.0
31	15-6	10.1
32	17-2	11.8
33	18-7	>12.9
34	21	>12.9
35	27	>12.9
>35	>30	>12.9

*AE and GE are estimates of the precise values provided by the scoring program.

Test 9 Concept Formation

Basal: Introduction 1 or 2

Ceiling: Determined by cutoffs

Score 1, 0

First Trial	Last Trial
A	little circle

1 little

2 square

3 circle

First Trial	Last Trial
B	circle

4 little circle

5 yellow circle

Items 1-5 ☐ A: Number Correct (0-5)

Cutoff = 2 or fewer correct

C	little
First Trial	Last Trial
D	square
E	two

6 red

7 big

8 one

9 round

10 little

11 square

Items 1-11 ☐ B: Number Correct (0-11)

Cutoff = 5 or fewer correct

First Trial	Last Trial
F	yellow
G	one

12 square shapes

13 big 2 squares

14 two different colors

15 round size

16 yellow different size

17 little different color

18 one

19 square

20 red

Items 1-20 ☐ C: Number Correct (0-20)

Cutoff = 12 or fewer correct

First Trial	Last Trial
H	two and yellow

21 big and red

22 yellow and square

23 two and round

First Trial	Last Trial
I	one or red

24 little or yellow

25 two or round

26 yellow or square

27 big or yellow or square

28 two or red or round

29 one or yellow or round

Items 1-29 ☐ D: Number Correct (0-29)

Cutoff = 18 or fewer correct

30 big

31 round

32 big and square

33 two or yellow

34 round

35 little or red or square

36 big and red

37 two or red or round

38 square

39 big or red

40 two or yellow or round

Items 1-40 ☐ E: Number Correct (0-40)

Score Entry

Enter Number Correct from appropriate box above and letter corresponding to items administered.

Number Correct Letter (A, B, C, D, E)

11	C
----	---

Test 9 Concept Formation

Scoring Table

Encircle row for the Number Correct.

Number Correct (Including Items 1-5)					AE (Est)*	GE (Est)*
Items 1-5	Items 1-11	Items 1-20	Items 1-29	Items 1-40		
0-1	0-1	0-1	0-1	0-1	<2-0	<K.0
—	2	2	2	2	2-8	<K.0
2	—	—	—	—	3-2	<K.0
—	—	3	3	3	3-7	<K.0
—	3	—	—	—	3-9	<K.0
—	—	4	4	4	4-3	<K.0
—	4	—	—	—	4-7	<K.0
—	—	5	5	5	4-9	<K.0
—	5	6	6	6	5-2	<K.0
—	—	7	7	7	5-6	K.1
—	—	8	8	8	5-9	K.3
—	—	9	9	9	5-11	K.5
—	—	10	10	10	6-2	K.7
—	—	11	11	11	6-3	K.9
—	—	12	12	12	6-5	1.0
—	—	—	13	13	6-7	1.2
—	—	—	14	14	6-9	1.4
—	—	—	—	15	6-11	1.5
—	—	—	15	16	7-1	1.6
—	—	—	16	17	7-4	1.9
—	—	—	17	18	7-8	2.2
—	—	—	18	19	8-0	2.6
—	—	—	—	20	8-2	2.8
—	—	—	—	21	8-6	3.1
—	—	—	—	22	8-10	3.4
—	—	—	—	23	9-2	3.8
—	—	—	—	24	9-7	4.1
—	—	—	—	25	9-11	4.5
—	—	—	—	26	10-4	4.9
—	—	—	—	27	10-10	5.4
—	—	—	—	28	11-4	5.9
—	—	—	—	29	11-11	6.5
—	—	—	—	30	12-9	7.3
—	—	—	—	31	13-9	8.3
—	—	—	—	32	15-2	9.8
—	—	—	—	33	17-4	11.9
—	—	—	—	>33	>22	>12.9

*AE and GE are estimates of the precise values provided by the scoring program.

Test 10 Numbers Reversed

Basal: 5 lowest correct
Ceiling: 5 highest incorrect

Score 1, 0

A ☒ 8-6

1 1 2-5

2 1 9-3

3 1 4-7

4 1 1-6

5 1 8-5

B ☒ 3-8-6

6 1 7-3-6

7 1 3-9-4

8 1 8-1-6

9 1 5-9-2 592

10 0 3-7-4 347

C ☒ 7-5-8-2

D ☒ 6-4-7-5

11 1 9-3-6-1

12 0 8-5-2-6

13 0 4-7-3-1

14 0 3-6-2-9

15 1 9-5-7-2

16 1 5-9-2-4-7-1

17 0 1-6-4-8-5

18 1 5-2-8-3-7

19 0 8-4-1-6-9

20 0 4-3-2-8-6

21 0 2-5-9-3-7-4

22 0 7-3-6-1-5-2

23 0 2-6-8-5-9-4

24 0 3-9-4-2-7-1

25 0 8-2-7-3-9-5

26 0 8-1-6-3-7-8-5

27 0 9-3-6-1-7-5-8

28 0 6-3-1-8-4-7-2

29 0 1-8-3-6-9-2-5

30 0 3-6-1-7-4-2-8

31 0 2-9-6-8-3-7-1-4

32 0 3-1-4-6-2-7-9-5

33 0 7-2-6-9-4-1-5-8

34 0 2-5-4-7-3-1-6-9

Number
Correct (0-34)

Test 10 Numbers Reversed Scoring Table

Encircle row for the Number Correct.

Number Correct	AE (Est)*	GE (Est)*
0	<4-2	<K.0
1	4-2	<K.0
2	4-6	<K.0
3	4-10	<K.0
4	5-2	<K.0
5	5-8	K.2
6	6-1	K.7
7	6-6	1.1
8	7-0	1.6
9	7-7	2.2
10	8-5	3.0
11	9-3	3.9
12	10-3	4.9
13	11-5	6.0
14	12-8	7.3
15	14-2	8.8
16	16-5	11.0
17	20	>12.9
>17	>30	>12.9

*AE and GE are estimates of the precise values provided by the scoring program.

Test 11 Number-Pattern Matching

Basal: Item 1

Time Limit: 3 minutes

If not using a stopwatch,
record the start and end
times in the box below.

Score 1 point for each correct pair.

 Time: 3 min. 00 sec.

55

 Number
Correct (0-90)

End Time: _____ min. _____ sec.

- Start Time: _____ min. _____ sec.

= Time: _____ min. _____ sec.

Test 11 Number-Pattern Matching**Scoring Table**

Encircle row for the Number Correct.

Number Correct	AE (Est)*	GE (Est)*	Number Correct	AE (Est)*	GE (Est)*
0	<3-4	<K.0	35	9-0	3.6
1	3-4	<K.0	36	9-3	3.8
2	3-9	<K.0	37	9-6	4.0
3	4-0	<K.0	38	9-8	4.2
4	4-2	<K.0	39	9-11	4.5
5	4-4	<K.0	40	10-1	4.7
6	4-5	<K.0	41	10-4	4.9
7	4-7	<K.0	42	10-7	5.2
8	4-9	<K.0	43	10-10	5.4
9	4-10	<K.0	44	11-1	5.7
10	4-11	<K.0	45	11-4	5.9
11	5-0	<K.0	46	11-8	6.2
12	5-2	<K.0	47	11-11	6.5
13	5-3	<K.0	48	12-3	6.8
14	5-5	K.0	49	12-6	7.1
15	5-6	K.1	50	12-9	7.3
16	5-8	K.2	51	13-1	7.6
17	5-9	K.3	52	13-5	8.0
18	5-10	K.4	53	13-10	8.4
19	6-0	K.6	54	14-4	8.9
20	6-1	K.7	55	14-10	9.4
21	6-3	K.9	56	15-5	10.0
22	6-5	1.0	57	16-2	10.8
23	6-7	1.2	58	17-3	11.8
24	6-10	1.4	59	20	>12.9
25	7-0	1.5	>59	>20	>12.9
26	7-1	1.7			
27	7-4	1.9			
28	7-6	2.1			
29	7-9	2.3			
30	8-0	2.6			
31	8-3	2.8			
32	8-5	3.0			
33	8-8	3.2			
34	8-10	3.4			

*AE and GE are estimates of the precise values provided
by the scoring program when time is exactly 3 minutes.

Test 12 Nonword Repetition

Basal: 6 lowest correct
Ceiling: 6 highest incorrect

Score 1, 0

	First Trial	Last Trial	
A	☒	☐	hig
B	☒	☐	dag

- 1 ___ po
- 2 ___ mip
- 3 ___ hiff
- 4 ___ jate
- 5 ___ dod
- 6 ___ jop
- 7 ___ tilp
- 8 / marg
- 9 / prid
- 10 / fordin
- 11 / gorg
- 12 / ratner
- 13 / fenner
- 14 / nilled
- 15 / gleb
- 16 / remorted
- 17 / shardle
- 18 / trang
- 19 / squift
- 20 / crimplit
- 21 / flightite
- 22 / pleam
- 23 / defermerifer
- 24 / flabstriction
- 25 / dibinacle
- 26 / expurdationery
- 27 / graphomorphicon
- 28 / improgratible
- 29 o appertibation
- 30 / exculfator
- 31 o preflightation
- 32 / befrestationing
- 33 o sophomistrify
- 34 o promiventatious
- 35 o redontentiousness
- 36 o inexculpatory
- 37 o tintinnadugratory

- 38 o transivationistical
- 39 ___ volgalamicultry
- 40 ___ pretransdispectionally
- 41 ___ disbimperpulamatory
- 42 ___ ovudiminbliminationl
- 43 ___ eegenstabutitionally
- 44 ___ propentientariticable
- 45 ___ emplitrationalipitory
- 46 ___ reflamntaministicalness

Number Correct (0-46)

Test 12 Nonword Repetition Scoring Table

Encircle row for the Number Correct.

Number Correct	AE (Est)*	GE (Est)*
0-2	<2-0	<K.0
3	2-0	<K.0
4	2-4	<K.0
5	2-7	<K.0
6	2-10	<K.0
7	3-0	<K.0
8	3-2	<K.0
9	3-5	<K.0
10	3-7	<K.0
11	3-9	<K.0
12	3-11	<K.0
13	4-1	<K.0
14	4-3	<K.0
15	4-5	<K.0
16	4-8	<K.0
17	4-10	<K.0
18	5-1	<K.0
19	5-4	<K.0
20	5-6	K.1
21	5-10	K.4
22	6-1	K.7
23	6-4	1.0
24	6-8	1.3
25	7-1	1.6
26	7-5	2.0
27	7-10	2.5
28	8-4	2.9
29	8-10	3.4
30	9-6	4.0
31	10-2	4.8
32	11-0	5.6
33	11-11	6.5
34	13-1	7.7
35	14-8	9.2
36	16-10	11.4
37	28	>12.9
>37	>30	>12.9

*AE and GE are estimates of the precise values provided by the scoring program.

Test 13 Visual-Auditory Learning

Basal: Test Story 1

Ceiling: Determined by cutoffs

Circle each error.

- 1 Cowboy and horse
Cowboy and dog

Test Story 1

☐

A: Number of Errors (0-6)

Cutoff = 5 or more errors

- 2 The big dog
The little tree

Test Stories 1-2

☐

B: Number of Errors (0-12)

Cutoff = 9 or more errors

- 3 The big horse is black and white.
The little tree is green.

- 4 Under the tree and on the ground

The black and white horse is by the tree.

Test Stories 1-4

☐

C: Number of Errors (0-20)

Cutoff = 18 or more errors

- 5 Bob is in the house.
Jeff is on the black and white horse.
The horse is under the green tree.

- 6 Bob and Jeff are not in the house.
They are on the ground.
They saw the big cowboy and the dog.

Test Stories 1-6

☐

D: Number of Errors (0-31)

Cutoff = 31 or more errors

- 7 Bob and Jeff are ride ... ing on black horse ... s.
They saw the white house under the green tree ... s.
They are not go ... ing by the house.

Test Stories 1-7

☐

E: Number of Errors (0-109)

Score Entry

Enter Number of Errors from appropriate box above and letter corresponding to Test Stories administered.

Number of Errors

Letter

(A, B, C, D, E)

10

E

Test 13 Visual-Auditory Learning Scoring Table

Encircle row for the Number of Errors.

Number of Errors						
Story 1	Stories 1-2	Stories 1-4	Stories 1-6	Stories 1-7	AE (Est)*	GE (Est)*
6-5	12-11	—	—	—	<2-0	<K.0
—	—	36	—	—	2-0	<K.0
—	10	—	—	—	2-1	<K.0
—	—	35	—	—	2-3	<K.0
—	—	34	—	—	2-6	<K.0
—	9	—	—	—	2-7	<K.0
—	—	33	—	—	2-8	<K.0
—	—	32	—	—	2-10	<K.0
—	—	31	—	—	3-0	<K.0
—	—	30	—	—	3-2	<K.0
—	—	29	—	—	3-3	<K.0
—	—	28	—	—	3-5	<K.0
—	—	27	—	—	3-7	<K.0
—	—	26	58	—	3-8	<K.0
—	—	—	57-56	—	3-9	<K.0
—	—	25	55	—	3-10	<K.0
—	—	—	54	—	3-11	<K.0
—	—	24	53	—	4-0	<K.0
—	—	—	52	—	4-1	<K.0
—	—	23	51	—	4-2	<K.0
—	—	22	50	—	4-3	<K.0
—	—	—	49	—	4-4	<K.0
—	—	21	48	—	4-5	<K.0
—	—	—	47	—	4-6	<K.0
—	—	20	46	—	4-7	<K.0
—	—	—	45	—	4-8	<K.0
—	—	19	44	—	4-9	<K.0
—	—	—	43	—	4-10	<K.0
—	—	18	42	—	4-11	<K.0
—	—	—	41	58	5-0	<K.0
—	—	—	40	57	5-1	<K.0
—	—	—	39	56	5-2	<K.0
—	—	—	38	55-54	5-3	<K.0
—	—	—	37	53	5-4	<K.0
—	—	—	36	52	5-5	K.0
—	—	—	35	51-50	5-6	K.1
—	—	—	34	49	5-7	K.2
—	—	—	33	48	5-8	K.2
—	—	—	32	47	5-9	K.4
—	—	—	—	46-45	5-10	K.4
—	—	—	31	44	5-11	K.5
—	—	—	—	43	6-0	K.6
—	—	—	—	42	6-1	K.7
—	—	—	—	41	6-2	K.7
—	—	—	—	40	6-3	K.8

Number of Errors						
Story 1	Stories 1-2	Stories 1-4	Stories 1-6	Stories 1-7	AE (Est)*	GE (Est)*
—	—	—	—	39	6-3	K.9
—	—	—	—	38	6-4	K.9
—	—	—	—	37	6-5	1.0
—	—	—	—	36	6-6	1.1
—	—	—	—	35	6-7	1.2
—	—	—	—	34	6-8	1.3
—	—	—	—	33	6-9	1.4
—	—	—	—	32	6-11	1.5
—	—	—	—	31	7-0	1.6
—	—	—	—	30	7-1	1.7
—	—	—	—	29	7-2	1.8
—	—	—	—	28	7-4	1.9
—	—	—	—	27	7-5	2.0
—	—	—	—	26	7-7	2.1
—	—	—	—	25	7-9	2.3
—	—	—	—	24	7-11	2.5
—	—	—	—	23	8-1	2.6
—	—	—	—	22	8-3	2.8
—	—	—	—	21	8-6	3.1
—	—	—	—	20	8-9	3.3
—	—	—	—	19	9-1	3.7
—	—	—	—	18	9-6	4.1
—	—	—	—	17	10-0	4.6
—	—	—	—	16	10-8	5.3
—	—	—	—	15	11-5	6.0
—	—	—	—	14	12-2	6.8
—	—	—	—	13	13-4	7.9
—	—	—	—	12	15-0	9.6
—	—	—	—	11	18-8	>12.9
—	—	—	—	<11	>19	>12.9

*AE and GE are estimates of the precise values provided by the scoring program.

Test 14 Picture Recognition

Basal: 6 lowest correct

Ceiling: 6 highest incorrect

Score 1, 0

	First Trial	Last Trial
A	/	
B	/	

1 X

2 H

3 P

4 A

5 M

Cutoff = 3 or fewer correct

	First Trial	Last Trial
C	/	

6 I, L

7 A, F

8 U, X, Y

9 P, S

10 U, Y

11 Q, R, A, L

12 B, I, L

13 B, H

14 B, F, H

15 L, O

16 A, B, F

17 M, P, R

18 U, F

19 P, R, S

20 F, H, I

21 O, P, R, U

22 H, L, O, Y

23 J, Y, Z

24 X, Z, K, O

16 Number Correct (0-24)

Test 14 Picture Recognition Scoring Table

Encircle row for the Number Correct.

Number Correct	AE (Est)*	GE (Est)*
0-2	<2-0	<K.0
3	2-4	<K.0
4	3-0	<K.0
5	3-7	<K.0
6	4-3	<K.0
7	4-10	<K.0
8	5-4	<K.0
9	5-10	K.4
10	6-4	K.9
11	6-11	1.5
12	7-6	2.1
13	8-3	2.8
14	9-0	3.6
15	10-3	4.8
16	12-8	7.2
17	18-2	12.8
>17	>30	>12.9

*AE and GE are estimates of the precise values provided by the scoring program.

Test 15 Analysis-Synthesis

Basal: Item 1

Ceiling: Determined by cutoffs

Score 1, 0

Color Pretest

First Trial Last Trial

1 yellow
1 black
1 blue
1 red

☒ Passed

☐ Trained

☐ Untrainable

First Trial Last Trial

A 1 black

1 1 blue

2 1 black

3 1 yellow

First Trial Last Trial

B 1 black

4 1 blue

5 1 yellow

6 1 blue and black

7 1 yellow and black

Items 1-7 7 A: Number Correct (0-7)

Cutoff = 2 or fewer correct

8 1 red

9 1 black

10 1 yellow

11 1 blue

12 1 yellow

13 1 red

14 1 blue and black

15 1 red and yellow

16 1 black and yellow or red and blue

17 1 red

18 1 black

19 1 yellow and blue

Items 1-19 19 B: Number Correct (0-19)

Cutoff = 11 or fewer correct

C 0 red

First Trial Last Trial

D 0 0 yellow

E 1 blue

20 1 black

21 0 black

22 0 yellow

23 0 yellow

24 0 black

25 1 yellow

Items 1-25 21 C: Number Correct (0-25)

Cutoff = 16 or fewer correct

26 0 blue

27 0 black and yellow or blue and red

28 0 red

29 0 blue

30 0 red

31 0 yellow

Items 1-31 21 D: Number Correct (0-31)

Cutoff = 21 or fewer correct

32 0 black and red

33 0 black and red

34 0 yellow and yellow and blue or blue and blue and black

35 0 black and black and yellow or yellow and yellow and red or red and black and blue

Items 1-35 0 E: Number Correct (0-35)

Score Entry

Enter Number Correct from appropriate box above and letter corresponding to items administered.

Number Correct

Letter

(A, B, C, D, E)

0

21

Test 15 Analysis-Synthesis

Scoring Table

Encircle row for the Number Correct.

Number Correct						
Items 1-7	Items 1-19	Items 1-25	Items 1-31	Items 1-35	AE (Est)*	GE (Est)*
0	0-1	0-1	0-1	0-1	<3-3	<K.0
1	—	—	—	—	3-3	<K.0
—	2	2	2	2	3-9	<K.0
—	3	3	3	3	4-7	<K.0
2	—	—	—	—	4-10	<K.0
—	4	4	4	4	5-0	<K.0
—	5	5	5	5	5-4	<K.0
—	6	6	6	6	5-7	K.1
—	7	7	7	7	5-9	K.3
—	8	8	8	8	5-11	K.5
—	9	9	9	9	6-1	K.6
—	10	10	10	10	6-3	K.8
—	11	11	11	11	6-4	K.9
—	—	12	12	12	6-6	1.1
—	—	13	13	13	6-8	1.3
—	—	14	14	14	6-11	1.5
—	—	15	15	15	7-1	1.7
—	—	16	16	16	7-4	1.9
—	—	17	17	17	7-8	2.2
—	—	18	18	18	7-11	2.5
—	—	19	19	19	8-4	2.9
—	—	20	20	20	8-9	3.4
—	—	<u>21</u>	<u>21</u>	<u>21</u>	9-4	3.9
—	—	22	22	22	9-11	4.5
—	—	23	23	23	10-8	5.2
—	—	24	24	24	11-7	6.1
—	—	25	25	25	12-8	7.3
—	—	26	26	26	14-5	9.0
—	—	27	27	27	17-10	12.4
—	—	>27	>27	>27	>19	>12.9

*AE and GE are estimates of the precise values provided by the scoring program.

Test 16 Object-Number Sequencing

Basal: 5 lowest correct

Ceiling: 5 highest incorrect

Score 1, 0

	First Trial	Last Trial	
A	☐	☒	dog then 3
B	☒	☐	apple then 9

- 1 ☒ cat then 1
- 2 ☒ orange then 2
- 3 ☒ shoe then 6
- 4 ☒ house then 3
- 5 ☒ bird then 5
- 6 ☒ man then 7

	First Trial	Last Trial	
C	☐	☒	cat - milk then 1

- 7 ☒ fish - plate then 9
- 8 ☒ sweater then 6 - 5
- 9 ☒ frog - hat then 2
- 10 ☒ fruit - house then 7
- 11 ☐ toy then 4 - 6
- 12 ☒ bread - lion then 3 - 1
- 13 ☒ horse - sock then 10 - 2
- 14 ☒ coat - juice then 5 - 9
- 15 ☐ pencil - coat then 4 - 1
- 16 ☐ night - story - water then 6 - 9
- 17 ☐ orange - bear then 4 - 1 - 7
- 18 ☐ belt - butter then 3 - 6 - 8
- 19 ☐ rabbit - dress then 9 - 5 - 4
- 20 ☐ milk - rug - day then 5 - 2 - 6
- 21 ☐ cow - cake - shirt then 1 - 3 - 6
- 22 ☐ snake - soup - glove then 7 - 2 - 9
- 23 ☐ pants - mouse - egg then 8 - 3 - 1
- 24 ☐ skunk - flag - pen - magnet then 5 - 8 - 2
- 25 ☐ chair - cap - sugar then 4 - 7 - 6 - 5
- 26 ☐ spider - bed - skirt then 2 - 9 - 3 - 1
- 27 ☐ cracker - pig - door - button then 5 - 8 - 6
- 28 ☐ cheese - door - swimmer - wolf then 8 - 4 - 9
- 29 ☐ salt - fox - stove - boot then 4 - 7 - 2 - 9
- 30 ☐ carrot - clock - corn - bird then 8 - 4 - 9 - 2
- 31 ☐ father - turtle - table - mitten - then 1 - 5 - 6 - 3

12 Number Correct (0-31)

Test 16 Object-Number Sequencing Scoring Table

Encircle row for the Number Correct.

Number Correct	AE (Est)*	GE (Est)*
0	<2-2	<K.0
1	2-2	<K.0
2	3-2	<K.0
3	4-0	<K.0
4	4-8	<K.0
5	5-3	<K.0
6	5-9	K.3
7	6-3	K.8
8	6-9	1.3
9	7-3	1.8
10	7-9	2.4
11	8-5	3.0
12	9-1	3.6
13	9-10	4.4
14	10-7	5.2
15	11-5	6.0
16	12-3	6.9
17	13-4	7.9
18	14-10	9.4
19	17-9	12.3
>19	>29	>12.9

*AE and GE are estimates of the precise values provided by the scoring program.

Test 17 Pair Cancellation

Basal: Item 1

Time Limit: 3 minutes



If not using a stopwatch,
record the start and end
times in the box below.

Score 1 point for each correct pair.

Time: 3 min. 00 sec.



Number
Correct (0-133)

End Time: min. : sec.

Start Time: min. : sec.

= Time: min. : sec.

Test 17 Pair Cancellation Scoring Table

Encircle row for the Number Correct.

Number Correct	AE (Est)*	GE (Est)*	Number Correct	AE (Est)*	GE (Est)*
0	<2-0	<K.0	50	9-0	3.6
1	2-0	<K.0	51	9-1	3.7
2	2-3	<K.0	52	9-2	3.8
3	2-5	<K.0	53	9-4	3.9
4	2-8	<K.0	54	9-5	4.0
5	2-10	<K.0	55	9-6	4.1
6	3-1	<K.0	56	9-8	4.2
7	3-4	<K.0	57	9-9	4.3
8	3-7	<K.0	58	9-10	4.4
9	3-9	<K.0	59	10-0	4.6
10	4-0	<K.0	60	10-1	4.7
11	4-2	<K.0	61	10-3	4.8
12	4-3	<K.0	62	10-5	5.0
13	4-5	<K.0	63	10-7	5.1
14	4-7	<K.0	64	10-9	5.3
15	4-8	<K.0	65	10-11	5.5
16	4-10	<K.0	66	11-1	5.6
17	4-11	<K.0	67	11-4	5.9
18	5-0	<K.0	68	11-7	6.1
19	5-2	<K.0	69	11-10	6.4
20	5-3	<K.0	70	12-2	6.7
21	5-4	<K.0	71	12-5	7.0
22	5-5	K.0	72	12-9	7.3
23	5-6	K.1	73	13-0	7.6
24	5-8	K.2	74	13-4	7.9
25	5-9	K.3	75	13-7	8.2
26	5-10	K.4	76	13-10	8.5
27	5-11	K.5	77	14-2	8.7
28	6-0	K.6	78	14-6	9.1
29	6-1	K.7	79	14-9	9.3
30	6-3	K.8	80	15-0	9.6
31	6-4	K.9	81	15-3	9.8
32	6-6	1.1	82	15-7	10.1
33	6-8	1.3	83	15-11	10.5
34	6-10	1.4	84	16-3	10.9
35	7-0	1.6	85	16-8	11.2
36	7-2	1.8	86	17-1	11.7
37	7-4	1.9	87	17-8	12.2
38	7-6	2.1	88	18-8	>12.9
39	7-8	2.2	89	20	>12.9
40	7-10	2.4	>89	>24	>12.9
41	8-0	2.5			
42	8-2	2.7			
43	8-3	2.8			
44	8-4	2.9			
45	8-5	3.0			
46	8-7	3.1			
47	8-8	3.3			
48	8-10	3.4			
49	8-11	3.5			

*AE and GE are estimates of the precise values provided
by the scoring program when time is exactly 3 minutes.

Test 18 Memory for Words

Basal: 4 lowest correct
Ceiling: 4 highest incorrect

Score 1, 0

First Trial Last Trial
A ☒ mother ... chair
B ☒ that ... down

- 1 ___ girl ... tree
- 2 ___ is ... book
- 3 ___ he ... water
- 4 ___ sleep ... little ... go
- 5 ___ no ... day ... she
- 6 ___ make ... see ... door
- 7 1 grass ... father ... not
- 8 1 just ... there ... like
- 9 1 help ... grow ... take
- 10 1 ride ... clean ... wish
- 11 1 had ... know ... be ... other
- 12 1 how ... done ... after ... must
- 13 1 it ... yellow ... all ... off
- 14 1 where ... of ... in ... would
- 15 1 ask ... under ... hold ... use
- 16 ☐ her ... out ... can ... try ... think
- 17 1 will ... or ... every ... got ... said
- 18 ☐ bring ... well ... these ... start ... before
- 19 ☐ from ... have ... they ... up ... each
- 20 ☐ good ... warm ... say ... give ... pretty
- 21 ☐ at ... people ... dark ... his ... some ... always
- 22 ___ when ... there ... do ... could ... if ... sit
- 23 ___ time ... what ... were ... more ... one ... this
- 24 ___ him ... for ... so ... are ... on ... get ... put
- 25 ___ about ... has ... then ... here ... open ... came ... was
- 26 ___ light ... any ... with ... did ... went ... you ... walk

16

Number
Correct (0-26)

Test 18 Memory for Words Scoring Table

Encircle row for the Number Correct.

Number Correct	AE (Est)*	GE (Est)*
0-1	<2.0	<K.0
2	2.4	<K.0
3	2.11	<K.0
4	3.4	<K.0
5	3.8	<K.0
6	4.0	<K.0
7	4.4	<K.0
8	4.8	<K.0
9	5.0	<K.0
10	5.6	K.1
11	6.1	K.6
12	6.7	1.2
13	7.3	1.8
14	8.0	2.6
15	9.0	3.6
16	10.2	4.8
17	11.10	6.4
18	14.4	8.9
19	20	>12.9
>19	>27	>12.9

*AE and GE are estimates of the
precise values provided by the
scoring program.